



LED STRIP LINE CATALOG



Neal General Manager
Mobile. +86-13827021229
+86-18688529966



技术引领 | 品质永恒
Technology leads, quality is eternal

企业简介

江门市祺丰科技有限公司（景耀广东）（英文名：Keyfine），为台州市景耀光电有限公司的广东分部，是一家专业生产，研发，销售为一体的灯饰照明企业，公司现有员工50多人，工厂总面积一万平方米。

台州景耀光电有限公司成立于2006年8月。是一家集设计，生产，研发，销售为一体的灯饰照明企业，拥有20年的led灯具生产经验。公司自创立以来，专注于LED高低压贴片灯带，彩虹管，灯串等led产品，随着业务需求的发展，先后成立了两家专业厂，2016年在江门设立景耀广东分部，配备了专业的技术研发人才和专业实验室，拥有独立的研发能力。截止2022年公司拥有120名员工，平均日产量10万米，共计15条生产线。通过开发、生产和销售高品质的LED灯带产品，成为该市场的佼佼者，产品广泛应用于商业和家庭照明、室内和室外照明、景观和建筑照明等领域。

为了更好的接轨国际市场，景耀拥有多次广交会，法兰克福照明博览会，香港国际电子展等大型的国际化参展经验，完善了国内外销售渠道。

作为一家领先的LED灯带照明企业，我们专注于提供高品质的LED灯带产品和相关的技术服务。致力于创新、质量、可靠性和环境保护，同时我们也在与国际领先技术供应商的开发合作中取得了巨大的突破，积极开展技术合作，采用最先进的技术和工艺，开发出创新的LED灯带产品，满足客户的各种需求。生产线配置齐全，生产效率高，能够快速响应客户需求。使用高品质的原材料和零部件，通过严格的生产管理和质量控制程序，确保产品的稳定性、可靠性和寿命。产品符合国际和行业标准，拥有各种认证和验收，例如CB、CE、RoHS、等。我们建立了完善的最新的ISO9000质量管理体系，实行严格的质量检测和质量跟踪程序，保证产品的品质和可靠性。我们的目标是向客户提供最好的产品和服务，让客户满意并信赖。以优质的灯光体验和技术解决方案为客户创造价值。

我们期望与各界人士合作，共同推动LED灯带照明技术的发展和

Company Profile

Jiangmen Qifeng Technology Co., Ltd. (Jingyao Guangdong) (English name: Keyfine), the Guangdong branch of Taizhou Jingyao Optoelectronics Co., Ltd., is a lighting enterprise integrating professional production, R&D and sales. The company has more than 50 employees and a total factory area of 10000 square meters.

Taizhou Jingyao Optoelectronics Co., Ltd. was established in August 2006. We are a lighting and lighting enterprise that integrates design, production, research and development, and sales. We have 20 years of experience in producing LED lighting fixtures. Since its establishment, the company has focused on LED high and low voltage SMD light strips, rainbow tubes, light strings and other LED products. With the development of business needs, two professional factories have been established. In 2016, Jingyao Guangdong Branch was established in Jiangmen, equipped with professional technical research and development talents and professional laboratories, with independent research and development capabilities. As of 2022, the company has 120 employees and an average daily production of 100000 meters, with a total of 15 production lines. By developing, producing, and selling high-quality LED strip products, we have become a leader in this market, widely used in commercial and home lighting, indoor and outdoor lighting, landscape and architectural lighting, and other fields.

In order to better align with the international market, Jingyao has multiple international exhibition experiences such as the Canton Fair, Frankfurt Lighting Expo, Hong Kong International Electronics Exhibition, and has improved its domestic and international sales channels.

As a leading LED strip lighting enterprise, we focus on providing high-quality LED strip products and related technical services. We are committed to innovation, quality, reliability, and environmental protection. At the same time, we have made significant breakthroughs in our development cooperation with leading international technology suppliers. We actively engage in technical cooperation, adopt the most advanced technology and processes, and develop innovative LED light strip products to meet the various needs of customers. The production line is fully equipped, with high production efficiency, and can quickly respond to customer needs. Using high-quality raw materials and components, and through strict production management and quality control procedures, ensuring the stability, reliability, and lifespan of products. The product meets international and industry standards, and has various certifications and acceptances, such as CB, CE, RoHS, etc. We have established a comprehensive and up-to-date ISO9000 quality management system, implementing strict quality testing and tracking procedures to ensure the quality and reliability of our products. Our goal is to provide customers with the best products and services to satisfy and trust them. Create value for customers with high-quality lighting experience and technical solutions.

We look forward to working with people from all walks of life to jointly promote the development and innovation of LED strip lighting technology.



2006

公司在秀玲老家成立

2008

产值超行业平均水平扩产至5条生产线

2012

彩虹管产品获得海内外客户的一致认可，“景耀”品牌初见号召力

2015

广东分公司成立

2016

广东分公司扩产至5条生产线

2017

在广东贴片灯带中展露头角

2018

124届 广交会

2019

浙江总部搬入自有厂房，拓宽了全球贸易的新板块

2020

9月，增设灯具事业部，拓宽产品品类，持续为广大客户提供更好跟完善的服务

2021

央视CCTV崛起中国的采访

2022

开始新一轮的SGS ISO9000管理体系建设

2023

广东分公司再次扩大生产规模，截至23年拥有16条生产线，增设贴片事业部完善生产产业链

未来，
我们一直在路上

目录

发展历程
Development History 03

企业荣誉
Corporate Style 05

展览
Exhibition 07

车间
Workshop 08

幻彩
Slide light strip series 09

无导线贴片灯带
Wireless strip light 11

柔性霓虹灯
Flexible neon light 16

有导线贴片灯带
Strip light 19




彩虹管 管子灯
Rope light 23

有导线贴片彩色灯带
strip light 27

配件
Accessory 29

Corporate Style

企业荣誉



Exhibition



Participation in the Canton Fair can help enterprises in a short period of time to establish customer relations, enter the market, accepted by the same industry. And for the old enterprises, often participate in the Canton Fair, facilitate regular communication and liaison with customers. Is conducive to the establishment of corporate image

Workshop



幻彩灯带

Colorful LED Strip Series



输入电压：220V/110V
Input Voltage: 220V/110V

型号：高压幻彩360°透明管
公母插 套装


Model: High Voltage Colorful 360° Transparent Tube
Male and Female Insertion Set

外观：透明圆管
Appearance: Transparent Circular Tube

颜色：幻彩
Colour: Illusory color

出厂规格：5.1米套装/10.2米套装
Shipping Specifications: 5.1 Meter Set/10.2Meter Set

功率：15W/30W
W: 15W/30W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：5050-54灯
Model: 5050-54D

外观：裸板/滴胶
Appearance: Bare Board/Drip Glue

颜色：幻彩
Colour: Illusory color

出厂规格：5米/卷
Shipping Specifications: 5 Meter /roll

功率：
W:



输入电压：DC12V
Input Voltage: 220V/110V


型号：5050-30灯
Model: 5050-30D

外观：裸板/滴胶
Appearance: Bare Board/Drip Glue

颜色：幻彩
Colour: Illusory color

出厂规格：5米/卷
Shipping Specifications: 5 Meter /roll

功率：
W:



输入电压：DC12V
Input Voltage: 220V/110V

型号：5050-120灯
Model: 5050-120D

外观：裸板/滴胶
Appearance: Bare Board/Drip Glue

颜色：幻彩
Colour: Illusory color

出厂规格：5米/卷
Shipping Specifications: 5 Meter /roll

功率：
W:



无导线贴片灯带

No Wire Patch Light Strip Series



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-2835-144D-6.3MM
-16R单排（1米/剪）

Model: 3V-2835-144D-6.3mm
-16R Single Row (1 Meter/Scissor)

外观：全透明
Appearance: Fully Transparent

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-2835-120D-8MM
-18R单排（1米/剪）

Model: 3V-2835-120D-8mm
-18R Single Row (1 Meter/Scissor)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-2835-120D-11MM
-28R双直排（1米/剪）

Model: 3V-2835-120D-11mm
-28R Double Straight Row (1 meter/scissor)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-2835-120D-8MM
-25R单排（20公分/剪）

Model: 18V-2835-120D-8mm
-25R Single Row (20 cm/cut)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-2835-120D-11MM
-25R双直排（1米/剪）

Model: 18V-2835-120D-8mm
-25R Double Straight Row (1 Meter/Scissor)

外观：平面/台阶半圆/小半圆
Appearance: Flat/Stair Semicircle/Small Semicircle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-2835-180D-11MM
-25R三斜排（20公分/剪）

Model: 18V-2835-180D-11mm
-25R Three Diagonal Rows (20cm/cut)

外观：平面/台阶半圆/小半圆
Appearance: Flat/Stair Semicircle/Small Semicircle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：12W
W: 12W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-2835-180D-11MM
-25R双直排（20公分/剪）

Model: 18V-2835-180D-11mm
-25R Double Straight Row (20cm/Scissor)

外观：平面/台阶半圆/小半圆
Appearance: Flat/Step Semi-Circle/Small Semi-Circle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：12W
W: 12W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-3535-120D-8MM
-18R单排（1米/剪）

Model: 3V-2835-120D-8mm
-18R Single Row (1 Meter/Scissor)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-3535-120D-11MM
-35R双直排（1米/剪）

Model: 3V-3535-120D-11mm
-35R Double Straight Row (1 Meter/Scissor)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-3535-120D-8MM
-25R单排（20公分/剪）

Model: 18V-3535-120D-8mm
-25R Single Row (20 cm/cut)

外观：平面/台阶半圆
Appearance: Flat/Stair Semicircle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-3535-180D-11MM
-25R双直排（20公分/剪）

Model: 18V-2835-180D-11mm
-25R Double Straight Row (20cm/Scissor)

外观：平面/台阶半圆/小半圆
Appearance: Square Meter/Staircase Half Circle/Small Half Circle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：12W
W: 12W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-3535-180D-11MM
-25R三斜排（20公分/剪）

Model: 18V-3535-180D-11mm
-25R Three Diagonal Rows (20cm/cut)

外观：平米/台阶半圆/小半圆
Appearance: Square Meter/Staircase Half Circle/Small Half Circle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：12W
W: 12W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：3V-2835-120D-11MM
-28R双直排（1米/剪）

Model: 2835-280D-11mm(Single Row
-Step Semicircle - No Wire -50cm One Cut)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-280D-11MM（单排-
台阶半圆-无导线-50cm一剪）

Model: 18V-2835-120D-8mm
-25R Single Row (20 cm/cut)

外观：平面/台阶半圆
Appearance: Half Circle of Flat/Step

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-280D-11MM（单排-
台阶半圆-无导线-50cm一剪）

Model: 2025-280D-11mm(Single Row
-Step Semicircle - No Wire -50cm One Cut)

外观：台阶半圆/
Appearance: Stair Semicircle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-280D-11MM（单排-
台阶半圆-无导线-50cm一剪）

Model: 2025-280D-11MM (Single Row-
Step semicircle - no Wire -50cm one cut)

外观：台阶半圆
Appearance: Stair Semicircle

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-280D-11MM（单排-
台阶半圆-无导线-50cm一剪）



Model: 18V-2835-180D-11mm
-25R Double Straight Row (20cm/Scissor)

外观：台阶半圆
Appearance: Step Semi-Circle

颜色：白光/暖白/中性光
Colour: White/Warm White/Neutral


出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7.8W
W: 7.8W



柔性霓虹灯

Lexible Neon Light Series.



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性6X12单面
Model: Flexible 6X12 Single-Sided

外观：单面 改性硅胶
Appearance:Single Sided Modified Silicone

颜色：白光/暖白/中性光/蓝/红/绿/粉/金黄/冰蓝
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Golden yellow/Ice Blue

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性 10X20单面
RGB 3535-96D
Model: Flexible 10X20 Single-Sided
RGB 3535-96D

外观：单面 改性硅胶
Appearance: Single Sided Modified Silicone

颜色：RGB
Colour: RGB

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：8W
W: 8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性7X15单面 空心
Model: Flexible 7X15 Single-Sided Hollow

外观：单面PVC
Appearance: Single Sided PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉/金黄/冰蓝
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Golden yellow/Ice Blue

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性 圆形14.5粗
Model: Flexible Circular 14.5 Thick

外观：圆形 PVC
Appearance: Circular PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：8W
W: 8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性8X16单面 空心
2835(0.2W)-120D
Model: Flexible 8X16 Single-sided Hollow
2835(0.2W)-120D

外观：单面PVC
Appearance: Single Sided PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉/金黄/冰蓝
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Golden yellow/Ice Blue

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V


型号：柔性 圆形16粗
Model: Flexible Circular 16 Thick

外观：圆形 PVC
Appearance: Circular PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：8W
W: 8W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：柔性8X16双面 空心
2835 (0.2W)-120D
Model: Flexible 8X16 Double Sided Hollow
2835(0.2W)-120D

外观：单面 PVC
Appearance: Single Sided PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉/金黄/冰蓝
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Golden yellow/Ice Blue

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：10X20柔性[3V-2835-120D
-8MM-18R 单排（1米/剪）]
Model: 10X20 Flexible [3V-2835-120D-
8MM-18R Single Row (1 Meter/Scissor)

外观：单面 PVC
Appearance: Single Sided PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：18V-3535-120D-11MM
-25R双直排（20公分/剪）
Model: 18V-3535-120D-11MM
-25R Double Straight Row (20cm/Scissor)

外观：平面/台阶半圆/小半圆
Appearance:Flat/Stair Semicircle/Small Semicircle

颜色：白光/暖白/中性光/蓝/红/绿/粉/金黄/冰蓝
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Golden yellow/Ice Blue

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：10X20单面柔性[3V-2835-120D
-8MM-18R单排（1米/剪）]
Model: 10X20 Single-Sided Flexible [3V-2835-120D
-8MM-18R Single Row (1 Meter/Scissor)

外观：单面 PVC
Appearance: Single Sided PVC

颜色：白光/暖白/中性光/蓝/红/绿/粉
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W

有导线贴片灯带

Wire Mounted LED Strip Series





输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-120D-4MM 单排
Model: 2025-120D-4MM Single Row

外观：平面透明
Appearance: Flat Transparent

颜色：白光/暖白/中性光/蓝/红/绿/彩
Colour: White/Warm White/Neutral/Blue/Red/Green/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-240D-8MM
单排COB效果
Model: 2025-240D-8MM
Single Row COB Effect

外观：平面透明/半圆
Appearance: Flat Transparent/Semi-Circular

颜色：白光/暖白/中性光/蓝/红/绿/粉/彩
Colour: White/Warm White/Neutral/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：6.26W
W: 6.26W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-180D-12MM 五斜排
Model: 2025-180D-12MM Five Diagonal Row

外观：半圆
Appearance: Semi-Circular

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：6.26W
W: 6.26W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：4040-60D-6MM-单排
Model: 4040-60D-6MM Single Row

外观：平面白富美
Appearance: Flat White Rich Beauty

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：7W
W: 7W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：RGB-3535-60D-8MM单排
Model: RGB-3535-60D-8MM Single Row

外观：平面白富美/台阶半圆
Appearance: Flat White Rich Beauty
/Half circle staircase

颜色：RGB
Colour: RGB

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：RGB-5050-60D-10MM
Model: RGB-5050-60D-10MM

外观：平面白富美
Appearance: Flat White Rich Beauty

颜色：RGB
Colour: RGB

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：11W
W: 11W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：RGB-5050-96D-12MM
Model: RGB-5050-96D-12MM

外观：平面白富美/半圆
Appearance: Flat White Rich Beauty/Semicircle

颜色：RGB
Colour: RGB

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：11W
W: 11W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：RGB-5050-120D-12MM
Model: Flexible Circular 16 Thick

外观：平面白富美
Appearance: RGB-5050-120D-12MM

颜色：RGB
Colour: RGB

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：5050-120D-12MM
三晶 双直排

Model: 5050-120D-12MM
Triple Crystal Double Straight Row

外观：单面 PVC
Appearance: Single Sided PVC

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2835-180D-10MM 双直排
Model: 2835-180D-10MM Double Row

外观：平面白富美
Appearance: RGB-5050-120D-12MM

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Neutral/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：8W
W: 8W



输入电压：220V/110V

Input Voltage: 220V/110V

型号：2835-180D-12MM 三斜排

Model: 2835-180D-12MM Three Diagonal Rows

外观：平面白富美

Appearance:Flat White Rich Beauty

颜色：白光/暖白/中性光/蓝/红/绿/粉

Colour: White/Warm White/Neutral/Blue/Red/Green/Pink

出厂规格：50、100米/件

Shipping Specifications: 50 and 100 Meters Per Piece

功率：8W

W: 8W



输入电压：220V/110V

Input Voltage: 220V/110V

型号：5730-120D-8MM 双斜排

Model: 5730-120D-8MM Double Diagonal Row

外观：平面白富美

Appearance:Flat White Rich Beauty

颜色：白光/暖白/蓝/红/绿/粉/彩

Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件

Shipping Specifications: 50 and 100 Meters Per Piece

功率：4W

W: 4W



输入电压：220V/110V

Input Voltage: 220V/110V

型号：5730-120D-10MM 双斜排

Model: 5730-120D-10MM Double Diagonal Row

外观：平面白富美

Appearance:Flat White Rich Beauty

颜色：白光/暖白/蓝/红/绿/粉/彩

Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件

Shipping Specifications: 50 and 100 Meters Per Piece

功率：4W

W: 4W



输入电压：220V/110V

Input Voltage: 220V/110V

型号：5730-180D-15MM 双斜排

Model: 5730-180D-15MM Double Diagonal Row

外观：平面白富美

Appearance: Flat White Rich Beauty

颜色：白光/暖白/蓝/红/绿/粉/彩

Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件

Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W

W: 5W



彩虹管

Rainbow Tube



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-透明3528-18D-4MM
Model: Circular Second Line-Transparent
3528-18D-4MM

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-透明3528-30D-4MM
Model: Circular Second Line - Transparent
3528-24D-4MM

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-180D-12MM 五斜排
Model: Circular Second Line - Transparent
3528-30D-4MM

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：6.26W
W: 6.26W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-透明3528-36D-4MM
Model: Circular Second Line - Transparent
3528-36D-4MM

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V


型号：圆二线-透明3528-48D-6MM
Model: Circular Second Line - Transparent
3528-48D-6MM

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-18D-10.5粗-空心/实心
Model: Round 2-18D-10.5 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-24D-10.5粗-空心/实心
Model: Round 2-24D-10.5 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-30D-10.5粗-空心/实心
Model: Round 2-30D-10.5 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-18D-11粗-空心/实心
Model: Round 2-18D-11 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-24D-11粗-空心/实心
Model: Round 2-24D-11 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-30D-11粗-空心/实心
Model: Round 2-30D-11 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：圆二线-36D-11粗-空心/实心
Model: Round 2-36D-11 Coarse Hollow/Solid

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：扁三线-36D
Model: Flat Four Line -36D

外观：方形
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：扁四线-72D
Model: Flat Four Line -72D

外观：方形
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：扁四线-90D
Model: Flat Four Line -90D

外观：圆形管
Appearance: Circular Tube

颜色：白光/暖白/蓝/红/绿/粉/彩
Colour: White/Warm White/Blue/Red/Green/Pink/Colorful

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：5W
W: 5W



有导线贴片彩色灯带

Wire Mounted Color Light Strip Series





输入电压：220V/110V
Input Voltage: 220V/110V

型号：2835-224D-16MM-220V
-100M-中国结-三线-四彩
Model: 2835-224D-16MM-220V-100M
-Chinese Knot - Third Line - Four Color

外观：红皮
Appearance:Red Skin

颜色：四彩
Colour: Four Color

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-240D-16MM-220V
-100M-鱼-三线-三彩
Model: 2025-240D-16MM-220V
-100M1Fish-Three Lines-Three Colors

外观：红皮
Appearance:Red Skin

颜色：三彩
Colour: Threer Color

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-240D-16MM-220V
-100M-爱心-三线-四彩
Model: 2025-240D-16MM-220V
-100M-Love -Three Lines-Four-Colors

外观：红皮
Appearance:Red Skin

颜色：四彩
Colour: Four Color

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-240D-18MM-220V
-50M-鸟-三线-三彩
Model: 2025-240D-18MM-220V
-50M - Bird - Third Line - Third Color

外观：红皮
Appearance:Red Skin

颜色：三彩
Colour: Threer Color

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：2025-168D-16MM-220V
-100M-6699-三线-四彩
Model: 2025-168D-16MM-220V
-100M - 6699 - Third Line - Four Color

外观：红皮
Appearance:Red Skin

颜色：四彩
Colour: Four Color

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：9W
W: 9W



COB灯带

COB Light Strip





输入电压：220V/110V
Input Voltage: 220V/110V

型号：COB 8MM-288灯
Model: COB 8MM-288D

外观：透明台阶半圆
Appearance: Transparent Step Semicircle

颜色：白/暖/中性/蓝/红/绿/粉
Colour: White/Warm White/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：COB 8MM-288灯
Model: COB 8MM-288D

外观：小柔内拉丝
Appearance: Xiaorou Inner Drawing

颜色：白/暖/中性/蓝/红/绿/粉
Colour: White/Warm White/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：COB 8MM-288灯
Model: COB 8MM-288D

外观：小透
Appearance: Xiao Tou

颜色：白/暖/中性/蓝/红/绿/粉
Colour: White/Warm White/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：COB 8MM-288灯
Model: COB 8MM-288D

外观：柔性台阶半圆
Appearance: Flexible Step Semicircle

颜色：白/暖/中性/蓝/红/绿/粉
Colour: White/Warm White/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W



输入电压：220V/110V
Input Voltage: 220V/110V

型号：COB 8MM-288灯
Model: COB 8MM-288D

外观：柔性台阶半圆
Appearance: Flexible Step Semicircle

颜色：白/暖/中性/蓝/红/绿/粉
Colour: White/Warm White/Blue/Red/Green/Pink

出厂规格：50、100米/件
Shipping Specifications: 50 and 100 Meters Per Piece

功率：10W
W: 10W





灯带套装

Lamp Strip Set





5V-皮线灯-吸塑套装

输入电压：5V

灯数：50D

颜色：幻彩

装箱数：200

出货规格：5米灯带

+24键遥控板

箱规：64X32X29cm

Input Voltage: 5V

LED Bead: 50D

Color: Colorful

Quantity Per Box: 200

Shipping Specifications: 5-Meter LED Strip

+24 Key Remote Control board

Box Specification:64x32x29cm

输入电压：5V

灯数：100D

颜色：幻彩

装箱数：100

规格：10米灯带+24键遥控板

箱规：64X32X29cm

Input Voltage: 5V

LED Bead: 100D

Color: Colorful

Quantity Per Box: 100

Specifications: 10-Meter LED Strip

+24 Key Remote Control board

Box Specification:64x32x29cm

输入电压：5V

灯数：200D

颜色：幻彩

装箱数：100

规格：20米灯带+24键遥控板

箱规：64X32X29cm

Input Voltage: 5V

LED Bead: 200D

Color: Colorful

Quantity Per Box: 100

Specifications: 20-Meter LED Strip

+24 Key Remote Control board

Box Specification:64x32x29cm



品名：5v-仿硅胶柔性 2米套装

灯数：60D

颜色：幻彩

装箱数：25

规格：2米-60LED-7x14

箱规：62.5x36x34.5cm

Name: 5V Imitation Silicone Flexible 2-Meter Set

LED Bead: 60D

Color: Colorful

Quantity Per Box: 25

Shipping Specifications: 2-Meter-60LED-7x14

Box Specification:62.5x36x34.5cm

品名：5v-仿硅胶柔性 3米套装

灯数：60D

颜色：幻彩

装箱数：25

规格：2米-90LED-7x14

箱规：62.5x36x34.5cm

Name: 5V Imitation Silicone Flexible 3-Meter Set

LED Bead: 60D

Color: Colorful

Quantity Per Box: 25

Shipping Specifications: 2-Meter-90LED-7x14

Box Specification:62.5x36x34.5cm

品名：5v-仿硅胶柔性 5米套装

灯数：60D

颜色：幻彩

装箱数：25

规格：2米-150LED-7x14

箱规：62.5x36x34.5cm

Name: 5V Imitation Silicone Flexible 5-Meter Set

LED Bead: 60D

Color: Colorful

Quantity Per Box: 25

Shipping Specifications: 2-Meter-150LED-7x14

Box Specification:62.5x36x34.5cm



品名：霓虹柔性 5米吸塑套装+电源
型号：12V-2835-120D
输入电压：12V
灯数：120D
颜色：白/暖白/中性光/红/蓝/绿/黄/荧光黄/
粉/冰蓝
装箱数：40
规格：5米灯带 + 电源 + 吸塑+卡纸
箱规：55x45x50cm

Name: Neon Flexible 5-Meter Vacuum Forming Set+Power Supply
Model: 12V-2835-120D
Input Voltage: 12V
LED Bead: 120D
Color: White/Warm White/Neutral/Blue/Red/Green/Yellow/
Fluorescent Yellow/Pink/Ice Blue
Quantity Per Box: 40
Shipping Specifications: 5-Meter LED Strip+Power Supply
+Vacuum Forming+Cardboard
Box Specification:55x45x50cm

品名：12V 霓虹柔性 跑马流水 5米吸塑套装
型号：12V-2835-60D
输入电压：12V
灯数：120D
颜色：彩色（三彩）
装箱数：25
规格：5米灯带 + 电源 + 控制器 +
24键遥控板+吸塑+卡纸
箱规：48x31x30cm

Name: 12V Neon Flexible Running Water 5-Meter Blister Set
Model: 12V-2835-60D
Input Voltage: 12V
LED Bead: 120D
Color: Colorful (Tri Colored)
Quantity Per Box: 25
Shipping Specifications: 5-meter LED Strip+Power Supply+
Controller+24 Key Remote Control Board+Vacuum Formed+Cardboard
Box Specification:48x31x30cm

品名：12V 霓虹柔性 七彩变光 5米吸塑套装+配件
型号：12V-3535-108D
输入电压：12V
灯数：108D
颜色：RGB
装箱数：25
规格：5米灯带 + 电源 + 控制器 +
24键遥控板+吸塑+卡纸
箱规：48x31x36cm

Name: 12V Neon Flexible Colorful Dimming 5-Meter Blister Set+Accessories
Model: 12V-3535-108D
Input Voltage: 12V
LED Bead: 108D
Color: RGB
Quantity Per Box: 25
Shipping Specifications: 5-Meter LED Strip+power Supply+
Controller+24 Key Remote Control Board+Vacuum Formed+Cardboard
Box Specification:48x31x36cm

品名：无导线48灯5米套装
型号：220V-2835-48灯
输入电压：220V
灯数：48D
颜色：六彩
装箱数：80
规格：5米 灯带+八功能控制器
箱规：52x38x34cm

Name: Wireless 48 Lamp 5-Meter Set
Model:220V-2835-48D
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 80
Shipping Specifications: 5-Meter Light Strip
+Eight Function Controller
Box Specification:52x38x34cm

品名：无导线48灯10米套装
型号：220V-2835-48灯
输入电压：220V
灯数：48D
颜色：六彩
装箱数：40
规格：10米 灯带+八功能控制器
箱规：50x40x26cm

Name: Wireless 48 Lamp 10-Meter Set
Model:220V-2835-48D
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 40
Shipping Specifications: 10-Meter Light Strip
+Eight Function Controller
Box Specification:50x40x26cm

品名：无导线48灯20米套装
型号：220V-2835-48灯
输入电压：220V
灯数：48D
颜色：六彩
装箱数：40
规格：20米 灯带+八功能控制器
箱规：56x50x28.5cm

Name: Wireless 48 Lamp 20-Meter Set
Model:220V-2835-48D
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 40
Shipping Specifications: 20-Meter Light Strip
+Eight Function Controller
Box Specification:56x50x28.5cm



品名：2835-54灯 5M 吸塑套装
型号：12V-2835-54灯 （铜板）
输入电压：12V
灯数：54D
颜色：RGB
装箱数：100
规格：5米灯带+电源+24键控制器
+遥控板+吸塑+卡纸
箱规：62x48x31cm

Name: 2835-54 Lamp 5M Vacuum Forming Set
Model: 12V-2835-54D(Copper Plate)
Input Voltage: 12V
LED Bead: 54D
Color: RGB
Fluorescent Yellow/Pink/Ice Blue
Quantity Per Box: 100
Shipping Specifications: 5-Meter LED Strip+Power Supply+24 Key Controller
+Remote Control Board+Vacuum Forming+Cardboard
Box Specification:62x48x31cm

品名：2835-54灯 10M 吸塑套装
型号：12V-2835-54灯 （铜板）
输入电压：12V
灯数：54D
颜色：RGB
装箱数：50
规格：10米灯带+电源+24键控制器
+遥控板+吸塑+卡纸
箱规：52x38x34cm

Name: 2835-54 Lamp 10M Vacuum Forming Set
Model: 12V-2835-54D(Copper Plate)
Input Voltage: 12V
LED Bead: 54D
Color: RGB
Fluorescent Yellow/Pink/Ice Blue
Quantity Per Box: 50
Shipping Specifications: 10-Meter LED Strip+Power Supply+24 Key Controller
+Remote Control Board+Vacuum Forming+Cardboard
Box Specification:52x38x34cm



品名：5V-COB 1米 带开关按钮
型号：5V-COB-320D-8MM
输入电压：220V
灯数：48D
颜色：六彩
装箱数：80
规格：5米 灯带+八功能控制器
箱规：52x38x34cm

Name: 5V-COB 1-Meter With Switch Button
Model: 5V-COB-320D-8MM
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 80
Shipping Specifications: 5-Meter Light Strip
+Eight Function Controller
Box Specification:52x38x34cm

品名：无导线48灯10米套装
型号：220V-2835-48灯
输入电压：220V
灯数：48D
颜色：六彩
装箱数：40
规格：10米 灯带+八功能控制器
箱规：50x40x26cm


Name: Wireless 48 Lamp 10-Meter Set
Model:220V-2835-48D
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 40
Shipping Specifications: 10-Meter Light Strip
+Eight Function Controller
Box Specification:50x40x26cm

品名：无导线48灯20米套装
型号：220V-2835-48灯
输入电压：220V
灯数：48D
颜色：六彩
装箱数：40
规格：20米 灯带+八功能控制器
箱规：56x50x28.5cm

Name: Wireless 48 Lamp 20-Meter Set
Model:220V-2835-48D
Input Voltage: 220V
LED Bead: 48D
Color: Six Colors
Quantity Per Box: 40
Shipping Specifications: 20-Meter Light Strip
+Eight Function Controller
Box Specification:56x50x28.5cm

配件

Accessory




2针 插针
2-Pin Contact



3针 插针
3-Pin Contact






4针 插针
4-Pin Contact



中间插
Intermediate Insertion

插头控制器及驱动线材 plug controller and drive wire





案例欣赏

Appreciate case



案例欣赏

Appreciate Case

